#######

<honig@sprynet.com>
########: 52902

####### ## # ########## ######### ## ### ####### ##########.

#####, ###/1, ### #### ### ########## ########## ### ## ######## ### ### #### ##### ### ########## ## ### #### ##### ## ### ###### ###### ### ##### #########.

##########. ##### ##### ############ ###### ## #### ####–####, ### ### ####### ####### ### ##### ## ### ######### #####, ### ############ ##–## #### ######## ## ### ### ## ### ### ######.

2019#03#29 15:17:05 ### #####.

#######

####### ##### # ###### ##### ###########. ##### ## ####? ######## ## ###### #### ##–####### ## ##### ############ ### ##### #### ###########.

##########

1. ## ######## 1
2. ## ######## 1
3. ## ########## 2
4. ########## 2
5. ################## 3
6. ########## ##### 3
7. ###/###/#386/####/########## 3
8. ######## ######### ########### #### (###### ## ######=8 ####) 3

1. ##

#######, ######## ### ## ######### *IPsec*. ##### #### ### #### ###########? #####, ## ######## ## ###–####### ## #### ### ###########, # ########## ###### ########## ## #### ####. #######(1) ## #######. ##### ##### ########### ## ##### ##############?

2. ##

#######, ###### ########### ####### ######### ##### ############:

1. ### ##### ######## ## ########### ##############, ## #####, ###### ### ######## ###### ### #######;
2. ### ##### ### ######## # ### ######### ###### ### ###########, ## #####, ###### ### ######## ###–######.

####### ### ##### ####### ##### ## ######## ## ### ##### ### ### ##### ## ###### ## ######## ## ###. ######## ###### ### ## ########## ##### ### ##### ## ######## # ### ########. #### ##### ###### ####### ## ####### ## ### ##### ## ##### ######## ## ## ############### ### ## ########## ## ### ####### #### ####### #### ### ## ######## ### #########.

2.1.

(####) ## #### ###### #### ########## ## ######## ## ### #######. ####### ## ######### ## ##########. ## ###### ## ########### # ############ #### ### ######## ### #### ###### ######### (####### ## ########) ## ##

2.2.

####### ########### ### ##### ## ######## ### ##### ## ### ### ########. ## ######## ####### #######(1) ## ####### #######, ## ##### ########## ## ######## ## *Berkeley Packet Filter* ## ## ####### ## #######–###### ## ## ######.

#######:

tcpdump -c 4000 -s 10000 -w *dumpfile.bin*

######### 4000 ######## ### ######## ## ## ####### *dumpfile.bin*. ## #### ####### ## ########## ##### 10.000 ##### ### #######.

3. ##

###########:

1. #### ### ####### # ## #### ##### # #### ####### # ## #### ########.

2. ##### ####### # ######## ########.

3. ## ## ####### ########, ####### ## ####### ####® ###(1), ### ########### ## ######## y. ####### ## ## ####, ####### ## ########. ###### # ## ####### ########, # ######. ###### ## ####, ####### ## #######.

4. ##### ####### #### ## ### ######## ##########. ####### ### #### #### ## #########. ## ########## # ##### ## ###### ## ### ## ######## ###### ##### ## 93% (6,7) ### ##### ######## (7,18), # ## ######## ######## ##### ## 29% (2,1) ### ##### ########.

```
% tcpdump -c 4000 -s 10000 -w ipsecdemo.bin
% uliscan ipsecdemo.bin

Uliscan 21 Dec 98
L=8 256 258560
Measuring file ipsecdemo.bin
Init done
Expected value for L=8 is 7.1836656
6.9396 ------------------------------------------------------
6.6177 ------------------------------------------------
6.4100 ----------------------------------------------
2.1101 ----------
2.0838 ----------
2.0983 ----------
```

4.

parece ##### ############## ### ##### ## ## ##### #### *uniformemente*, #### #### ######## ## ########. ### ########, ## ########### #### ######## *puede no* ######## ###### ## ### ######## ###### ### ######## (#### ### ###### ## ##### ##########). #### ######## ## ########## # ########### ## ###### ###########, ##### # ###### ######## #### #####, ### ## ########## #######, ########## ### ######, ###. ######## ## ######; ######## ## ######.

########### ############# ## ## #############
#######

5.

########## ## ######### ### ######### ## ######## #### ###4; ######### #### ###6. ## ######### #### ######## ## ####### # ## ############# # ##### ## ## (#### # ####). ### #### ####### ## ###### ## ####–######. ### ####### #### ## #####. ### ####### ## ####### # ####### ##########. ##### ######## #### ##### ### #####.

6. ##########

####. ### ## #####, ###### ####### ## ###### IPSEC ## ## ############# ## ## ###### #, ####### ## ########## # ########## ## ######, ######### ### ########## ## ##### ###### ## ####### ######(8).

#######.

7. ###/###/#386/####/##########

#######(1). ######### ## ######## ######(8) ####### ## ####### ####, ########## # ##########.

```
device bpf
```

8. ######## ######### ########### #### (###### ## ######=8 ####)

######.

```
/*
  ULISCAN.c   ---blocksize of 8

  1 Oct 98
  1 Dec 98
  21 Dec 98      uliscan.c derived from ueli8.c

  This version has // comments removed for Sun cc

  This implements Ueli M Maurer's "Universal Statistical Test for Random
  Bit Generators" using L=8

  Accepts a filename on the command line; writes its results, with other
  info, to stdout.

  Handles input file exhaustion gracefully.

  Ref: J. Cryptology v 5 no 2, 1992 pp 89-105
  also on the web somewhere, which is where I found it.

  -David Honig
  honig@sprynet.com

  Usage:
  ULISCAN filename
  outputs to stdout
*/

#define L 8
#define V (1<<L)
#define Q (10*V)
#define K (100   *Q)
#define MAXSAMP (Q + K)
```

```
#include <stdio.h>
#include <math.h>

int main(argc, argv)
int argc;
char **argv;
{
  FILE *fptr;
  int i,j;
  int b, c;
  int table[V];
  double sum = 0.0;
  int iproduct = 1;
  int run;

  extern double   log(/* double x */);

  printf("Uliscan 21 Dec 98 \nL=%d %d %d \n", L, V, MAXSAMP);

  if (argc < 2) {
    printf("Usage: Uliscan filename\n");
    exit(-1);
  } else {
    printf("Measuring file %s\n", argv[1]);
  }

  fptr = fopen(argv[1],"rb");

  if (fptr == NULL) {
    printf("Can't find %s\n", argv[1]);
    exit(-1);
  }

  for (i = 0; i < V; i++) {
    table[i] = 0;
  }

  for (i = 0; i < Q; i++) {
    b = fgetc(fptr);
    table[b] = i;
  }

  printf("Init done\n");

  printf("Expected value for L=8 is 7.1836656\n");

  run = 1;

  while (run) {
    sum = 0.0;
    iproduct = 1;

    if (run)
      for (i = Q; run && i < Q + K; i++) {
        j = i;
        b = fgetc(fptr);

        if (b < 0)
          run = 0;

        if (run) {
          if (table[b] > j)
            j += K;

          sum += log((double)(j-table[b]));
```

```
        table[b] = i;
       }
     }

   if (!run)
     printf("Premature end of file; read %d blocks.\n", i - Q);

   sum = (sum/((double)(i - Q))) /  log(2.0);
   printf("%4.4f ", sum);

   for (i = 0; i < (int)(sum*8.0 + 0.50); i++)
     printf("-");

   printf("\n");

   /* refill initial table */
   if (0) {
     for (i = 0; i < Q; i++) {
       b = fgetc(fptr);
       if (b < 0) {
         run = 0;
       } else {
         table[b] = i;
       }
     }
   }
  }
}
```