#######

########

<imdave@synet.net>
##: 43184

####### # ### ####### ########## ########

#####, #######, ####### ######, ##### ### ########## # ##########/######### ##### ####### ############ #############

#####, #######, ########, ####, ######, ####, ###, #########, ### ##, ######### ### ######## # ##### ###. ##### ########################

########

#########, ############, ######, #######, #######, ####### ##### ### ####### ## # ### #######/############ ######### ########## #############

#####, ###/1 ### #### # ################### ### #### ##### ####### ## ######## ### ### #### ##### #########

################### ###################### ############## ####### ####### ##### ################### ### ### ### ###########

2013#11#13 07:52:45 # ###.

##

#11, ###########, ##### ############################## ####### ########## ####### 80#60 ############## ############### 1 ##############

##

1. #### 1
2. #### 2
3. ################? 2
4. ######## 80#60 ######### 2
5. ### 1 ##### #11 ##### 3
6. ### 1 ##### ########## ##### 5
7. ### 1 ##### ##### ##### 5
8. ######## ##### ##### ## #####/########## ########## 7
9. ######## ########################? 8
10. ################? 9
11. ###### 9

1.

############################## ####### ################################ ###################### ######################## ############################### ################ ################## ##

2.

###################################### ####################

.pfa#.pfb
########® ### 1 ######## .pfa # ##### ######### .pfb # ###### ########

.afm
1

.pfm
1

.ttf
########® #####

.fot
######## ################ (################)#

.fon#.fnt
###################

.fot #############® ###### ### ########® #### (.ttf) ############################ .fon ##### ####### ## ######### ####### ############################

3. ################?

#################### ################# ####### ################## ################# (###### ##) ###### ############################## ############### ###################################

####

#######
.fnt

########

###########
.pfa# .pfb# .ttf

#11
.pfa# .pfb

#####
.pfa# .afm

######
.ttf

.fnt ############### (##: ########## (####) ###############) ################################## ## ## ################################### ###.fnt ## ### ####### ### ####### ################# ######® # #######® ####### .fnt ################## ### ####### ########### .fnt

4. ######## 80#60

###8#8 ######################### #######/etc/rc.conf ################ (############ ###### ######### ########)#

```
font8x8="iso-8x8"  # font 8x8 from /usr/share/syscons/fonts/* (or NO).
```

################## ##########(1) ###

```
% vidcontrol VGA_80x60
```

##(1) ############################ ################################ ioctl #### (#######(4) ###) ####
##################

############### ######################### ###################### ###### /etc/rc.conf ###########

```
allscreens_flags="VGA_80x60" # Set this vidcontrol mode for all virtual screens
```

####: ##.####(5)##########(1)

5. ### 1 ##### #11

#11 ### .pfa ######## .pfb ################### #11 ######## /usr/X11R6/lib/X11/fonts ####################
fonts.dir ############ ############### #11

Type1 ###################### ################### ########################## ################
#######Type1 ###################################### ##
################################## ###################

```
*************************
% mkdir -p /usr/local/share/fonts/type1
% cd /usr/local/share/fonts/type1

### .pfa ### .pfb ##### .afm ##########
##### readme ###################
###############
% cp /cdrom/fonts/atm/showboat/showboat.pfb .
% cp /cdrom/fonts/atm/showboat/showboat.afm .

##############################
% echo showboat - InfoMagic CICA, Dec 1994, /fonts/atm/showboat >>INDEX
```

########## #11 ########## ###################### ###################### #11 ################
##

```
-bitstream-charter-medium-r-normal-xxx-0-0-0-0-p-0-iso8859-1
   |      |    |  |  |   | ||||||   \   \
   |      |    |  |  |   \ \\\\\\    +----+- character set
   |      |    |  |  \    \ \\\\\+- average width
   |      |    |  |  \    \ \\\\+- spacing
   |      |    |  \   \    \ \\\+- vertical res.
   |      |    |   \   \    \ \\+- horizontal res.
   |      |    |    \   \    \ \+- points
   |      |    |     \   \    \ +- pixels
   |      |    |      \   \    \
 foundry  family  weight   slant  width  additional style
```

################################ ############################ ############################
#######(1)

```
% strings showboat.pfb | more
%!FontType1-1.0: Showboat 001.001
%%CreationDate: 1/15/91 5:16:03 PM
%%VMusage: 1024 45747
% Generated by Fontographer 3.1
% Showboat
 1991 by David Rakowski.  Alle Rechte Vorbehalten.
```

```
FontDirectory/Showboat known{/Showboat findfont dup/UniqueID known{dup
/UniqueID get 4962377 eq exch/FontType get 1 eq and}{pop false}ifelse
{save true}{false}ifelse}{false}ifelse
12 dict begin
/FontInfo 9 dict dup begin
 /version (001.001) readonly def
 /FullName (Showboat) readonly def
 /FamilyName (Showboat) readonly def
 /Weight (Medium) readonly def
 /ItalicAngle 0 def
 /isFixedPitch false def
 /UnderlinePosition -106 def
 /UnderlineThickness 16 def
 /Notice (Showboat
 1991 by David Rakowski.  Alle Rechte Vorbehalten.) readonly def
end readonly def
/FontName /Showboat def
--stdin--
```

######################:

```
-type1-Showboat-medium-r-normal-decorative-0-0-0-0-p-0-iso8859-1
```

###############

(#######)

type1

(######)

##########

(######)

(##)##### (##)####### (##)# ######## (####) ########### #######(1) ###### ########
###########

(#####)

(#####)####### (######)######## (###) ######## ########### #0############ #####

#

(##)##### (##)########## (##)#########(##) ################## ######

######

################### (##########) ######################

######

############ (######## (##: ################)) ### ########## (#######) ########## ############
############ ############ # ##### (#) ###########

################ ######################## #11 ######## ################################ #######
####################### (## : #############) ##############################

```
…-normal-r-normal-…-p-…
```

########(1) ##############################

#########################

X11 ######################
% **cd /usr/X11R6/lib/X11/fonts/Type1**
% **ln -s /usr/local/share/fonts/type1/showboat.pfb .**

fonts.dir # fonts.scale ######################################

```
% ex fonts.dir
:1p
25
:1c
26
.
:$a
showboat.pfb -type1-showboat-medium-r-normal-decorative-0-0-0-0-p-0-iso8859-1
.
:wq

fonts.scale # fonts.dir############…
% cp fonts.dir fonts.scale

X11 #################
% xset fp rehash

###############
% xfontsel -pattern -type1-*
```

####: ########(1)#####(1)#### # ####### ###### ## # ##########&#########

6. ### 1 ##### ###########

########### ### Fontmap ################## ########### #11 # fonts.dir ######################## ## ########### ### .pfa ##### .pfb ############################## ############################### ########### ################

```
##### Ghostscript #################
% cd /usr/local/share/ghostscript/fonts
% ln -s /usr/local/share/fonts/type1/showboat.pfb .

Ghostscript ############## Fontmap #######
% cd /usr/local/share/ghostscript/4.01
% ex Fontmap
:$a
/Showboat       (showboat.pfb) -; % From CICA /fonts/atm/showboat
.
:wq

Ghostscript ################
% gs prfont.ps
Aladdin Ghostscript 4.01 (1996-7-10)
Copyright (C) 1996 Aladdin Enterprises, Menlo Park, CA.  All rights
reserved.
This software comes with NO WARRANTY: see the file PUBLIC for details.
Loading Times-Roman font from /usr/local/share/ghostscript/fonts/tir_____.pfb...
 /1899520 581354 1300084 13826 0 done.
GS>Showboat DoFont
Loading Showboat font from /usr/local/share/ghostscript/fonts/showboat.pfb...
 1939688 565415 1300084 16901 0 done.
>>showpage, press <return> to continue<<
>>showpage, press <return> to continue<<
>>showpage, press <return> to continue<<
GS>quit
```

####: ########### ##### 4.01 ######## fonts.txt

7. ### 1 ##### #####

############# #11 # ########### ####################### ################## ##### ##############? ################® #### 1 ############## ######## ##### ##### ## ################## ##### #######

######## ############### ##### ######## /usr/share/groff_font/devps ############################## /usr/share/groff_font/devps/SHOWBOAT ###################### ##### ################################

afmtodit ############ ######################### ################################ ############ #########################

```
% cp /usr/src/gnu/usr.bin/groff/afmtodit/afmtodit.pl /tmp
% ex /tmp/afmtodit.pl
:1c
#!/usr/bin/perl -P-
.
:wq
```

############### (.afm ###) ## ##### ################## ######################

```
.afm ######## Mac ##... ###### ^M ##########
##### ^J #### UNIX® ################
% cd /tmp
% cat /usr/local/share/fonts/type1/showboat.afm |
 tr '\015' '\012' >showboat.afm

####groff ###############
% cd /usr/share/groff_font/devps
% /tmp/afmtodit.pl -d DESC -e text.enc /tmp/showboat.afm generate/textmap SHOWBOAT
```

######## ######## ###################

############### ########## ########## ###################### ##########® ################## ########## ########################## (######## ############################## ############## ################## ###############)# ############### ###################### ### pfbtops # (## : .pfb ####) .pfa ################### download ############ ############################## ############## ##### ######################

```
.pfa ##############
% pfbtops /usr/local/share/fonts/type1/showboat.pfb >showboat.pfa
```

#####.pfa ############ ########################

```
##########
% fgrep internalname SHOWBOAT
internalname Showboat

######################## groff ######
% ex download
:$a
Showboat     showboat.pfa
.
:wq
```

##########

```
% cd /tmp
% cat >example.t <<EOF
.sp 5
.ps 16
This is an example of the Showboat font:
.br
.ps 48
.vs (\n(.s+2)p
.sp
.ft SHOWBOAT
ABCDEFGHI
.br
JKLMNOPQR
```

```
.br
STUVWXYZ
.sp
.ps 16
.vs (\n(.s+2)p
.fp 5 SHOWBOAT
.ft R
To use it for the first letter of a paragraph, it will look like:
.sp 50p
\s(48\f5H\s0\fRere is the first sentence of a paragraph that uses the
showboat font as its first letter.
Additional vertical space must be used to allow room for the larger
letter.
EOF
% groff -Tps example.t >example.ps

ghostscript/ghostview#########
% ghostview example.ps

#### (## : ###############)#
% lpr -Ppostscript example.ps
```

####: /usr/src/gnu/usr.bin/groff/afmtodit/afmtodit.man# #####_####(5)######_####(7)########(1)

8. ######## ##### ##### ## #####/##########

###################### ### ###########:

ttf2pf

######## ## ########## ############## ### ######## ################### (.afm) ##############

http://sunsite.icm.edu.pl/pub/GUST/contrib/BachoTeX98/ttf2pf/ ######### ##: ######### ########## ########## ## ##### ################## ################## ############## #########

########:

- GS_TTF.PS
- PF2AFM.PS
- ttf2pf.ps

################### ### ################## ttf2pf.ps ########## ############ ################ ##### (#### GS_TTF.PS # PFS2AFM.PS #### ########## ########## ######################### ####### ###############)# /usr/local/share/groff_font/devps ###################

afmtodit

################### ##### ################### ###### /usr/src/contrib/groff/afmtodit ############## ## ################

##

/usr/src ##################

############################

```
# make -f Makefile.sub afmtodit
```

############## /usr/contrib/groff/devps/generate/textmap # /usr/share/groff_font/devps/generate ########

####################### ##########

1. .afm ##################

```
% gs -dNODISPLAY -q -- ttf2pf.ps TTF_name PS_font_name AFM_name
```

####*TTF_name* ##### ######## #########*PS_font_name* # .pfa ############### *AFM_name* # .afm ###########. .pfa # .afm ################## ####### ######## ##################

######## ########## ################ .pfa ############# (.pfb #########)# ##############(######) ## ###############

#####30#9 ####################################

```
% gs -dNODISPLAY -- ttf2pf.ps 3of9.ttf
Aladdin Ghostscript 5.10 (1997-11-23)
Copyright (C) 1997 Aladdin Enterprises, Menlo Park, CA.  All rights reserved.
This software comes with NO WARRANTY: see the file PUBLIC for details.
Converting 3of9.ttf to 3of9.pfa and 3of9.afm.
```

######### A.pfa # B.afm ###############

```
% gs -dNODISPLAY -- ttf2pf.ps 3of9.ttf A B
Aladdin Ghostscript 5.10 (1997-11-23)
Copyright (C) 1997 Aladdin Enterprises, Menlo Park, CA.  All rights reserved.
This software comes with NO WARRANTY: see the file PUBLIC for details.
Converting 3of9.ttf to A.pfa and B.afm.
```

2. ##### ########## ##########

################# /usr/share/groff_font/devps # ############# ### #### ############ (################### ##### DESC# text.enc# generate/textmap ########################)#

```
% afmtodit -d DESC -e text.enc file.afm \
    generate/textmap PS_font_name
```

####file.afm # *AFM_name* #### ttf2pf.ps ######### *PS_font_name* ################## #####(1) ################ ###### ######## tiff2pf.ps ##################### 3##9 ########################

```
% afmtodit -d DESC -e text.enc 3of9.afm \
            generate/textmap 3of9
```

PS_font_name #### (##### 3of9) ####### /usr/share/groff_font/devps

ttf2pf.ps ############ ######## ###################### ################## .afm ########## afmtodit # ############ #####(1) ## ##(1) ############ ######################################

9. ######## ######################?

######## ####### ############### 95#### ##################### ####################

########## (##: ####### #) ######### ######################### ########## # ###### ########## ### ################## # ############# 1 ################## ###### ##### 3 ### ######## ########## ################### ############################## :#)#

###################### ######## ###### ## ######## ################

- #####86 4.# ####### ######## ###### ### ####### ####### #####86 4.0.2 ##### ###########
- #11 ## ##### ######## ########### ######## ########### ############################## #### ####### ############ #### ######### ####### ############ ####### ############ ######## #### ## ####
- ##### # #11 ################## ftp://sunite.unc.edu/pub/Linux/X11/fonts/ #########
- ttf2bdf ########## # ##### ######## ########## ### ############### ##### ####### ftp://crl.nmsu.edu/CLR/multiling/General/ ## #######
- ###### …

10. ################?

############################## ########################## ######################## ##### ### ######################## (1996#8###)#########

- http://www.simtel.net/
- http://www.freshmeat.net/
- ##### ########## # x11-fonts/

11.

- .pfm #################?
- .afm ##### .pfa #### .pfb ########?
- ############ ########## ##### ##### ############# ################?
- ######## # ####?? ##?
- ###### # ########### # ######## ####################